

Data Sheet

FUJITSU Display E24T-7 LED Display

All-round Display: 61 cm (24-inch) widescreen display
Best energy saving solutions for office applications

The FUJITSU Display E24T-7 LED combines comfortable ergonomics with best-in-class energy saving technology like ECO operation mode.

Fast response time (typ.) of 5 ms, perfect for office, internet use and more
Proven eco-friendliness with TCO Display 6.0, ENERGY STAR® 6.0 and EPEAT® Silver certificate

Representative design providing a slender housing in ergonomic matt black, integrated speakers and power supply

Full support for Fujitsu ESPRIMO Q and Fujitsu FUTRO backpack solutions



Technical details

Special features

LED backlight panel, Keep aspect ratio option

Ergonomic stand

Stand removable

Picture height over desk (min) 95 mm

Tilt angle -3.5° / +21.5°

Picture performance

Panel and backlit TN/LED

Screen Surface Treatment Anti-glare, 3H hard coating

Contrast - typical 1000:1

Contrast - advanced 20,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 170°/160°

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m2

Size and resolution

Aspect ratio 16:9

Diagonal Size 61 cm (24-inch)

Resolution (native) 1,920 x 1,080 pixel (recommended)

Resolution (interpolated) 1,680 x 1,050 pixel, 1,440 x 900 pixel, 1,360 x 768 pixel, 1,280 x 1,024 pixel, 1,280 x 768 pixel, 1,152 x 870 pixel, 1,024 x 768 pixel, 832 x 624 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel

Picture size 531 x 299 mm

Pixel Pitch 0.277 mm

Frequencies

Horizontal 30 - 83 kHz

Horizontal analog 180 Mhz

Horizontal digital 165 Mhz

Vertical 55 - 76 Hz

Connectivity

HDMI 1 x HDMI

DVI 1 x DVI-D (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal output 3.5 mm stereo phone jack

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 2.0 W

HDMI audio Yes

Ease-of-use menu

Languages Arabic, Chinese simply, Czech, Danish, Dutch, English, Finnish, French, German, Hebrew, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish

Brightness / Contrast Brightness, Contrast

Color 6500K, 7500K, 9300K, Custom Color

Image adjust H-Position, V-Position, Clock, Phase

Audio Mute, Volume

Information Model name, S/N, Resolution/mode, Signal input

Power consumption (typical, w/o sound)

Soft switch off 0.2 W

Power save mode 0.2 W

Operating with EPA settings 18.3 W

Operating maximum brightness 23.2 W

Power supply display integrated

Power notes without sound

Electrical values

Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1

Compliance

Europe	CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco-Declaration
Model	W2413
Russia	EAC
USA/Canada	FCC Class B, cUL, CSA
Australia/New Zealand	C-Tick (planned)
Saudi Arabia	SASO
Global	TCO Displays 6.0, ENERGY STAR® 6.0, EPEAT® Silver (dedicated regions), ISO9241-307 (Pixel fault class I)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Quality and Reliability

MTBF (demonstrated)	50.000 h
---------------------	----------

Dimensions / Weight / Environmental

Dimension without stand (W x D x H)	565.4 x 56.5 x 339.9 mm
	22.26 x 2.22 x 13.38 inch
Dimension with stand (W x D x H)	565.4 x 202.94 x 411.9 mm
	22.26 inch x 7.99 x 16.22 inch
Weight (packed)	4.63 kg
	10.33 lbs
Weight (unpacked)	3.39 kg
	7.76 lbs
Weight (Monitor only)	2.9 kg
	6.63 lbs
Operating ambient temperature	0 - 40 °C

Miscellaneous

Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
Color	Black

Package content

Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, Quickstart flyer, Getting Started Manual, Warranty booklet
Display delivered accessories notes	Data cables and audio cable detachable on display

Order information

Order Code	S26361-K1539-V160
Country specific order code	BDL:K1539V140-UK - with UK power cable, mandatory for Arabian countries
EAN Code	4053026617413

Warranty

Standard Warranty	3 years (depending on country)
Service level	Collect & Return Service (depending on country specific requirements)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Display E24T-7 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Display E24T-7 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://www.fujitsu.com/fts/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions
Website: www.fujitsu.com/fts
2014-07-04 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions